



*Village of Biscayne Park*

640 NE 114 STREET.  
BISCAYNE PARK, FL 33161  
PHONE: 305-899-8000 – FAX: 305-891-7241

**INFORMATION FOR WINDOWS, SHUTTERS & DOORS**

- Permit Application filled out.
- 2 Copies of **product control approval (Miami-Dade county)**
- If **non-impact** windows or doors are being installed then shutters must be used and 2 copies of product control approval must also be submitted.
- 2 copies of a drawing of the building showing location of windows, doors and shutters, with the comparison chart with all information for the openings.
- If owner is doing the work need Owner Builder Disclosure.
- A \$50.00 Submittal fee when applying for permit.
- Every Bedroom must have at least 1 egress window installed and opening must have a minimum
  - 20" wide
  - 24" high
  - A total opening size of 5.7 Sq Ft
  
- **THE ABOVE IS FOR EXACT RETRO-FIT ONLY. IF OPENING SIZES ARE BEING ALTERED THEN PLANS MUST BE SUBMITTED SIGNED AND SEALED BY A DESIGN PROFESSIONAL.**




N  
s to be  
s window



BUILDING CODE COMPLIANCE OFFICE (BCCO)  
PRODUCT CONTROL DIVISION

**EXAMPLE**



MIAMI-DADE COUNTY, FLORIDA  
METRO-DADE FLAGLER BUILDING  
140 WEST FLAGLER STREET, SUITE 1603  
MIAMI, FLORIDA 33130-1563  
(305) 375-2901 FAX (305) 375-2908

**NOTICE OF ACCEPTANCE (NOA)**

PGT Industries  
P.O. Box 1529  
Nokomis, FL 34274

**SCOPE:**

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

**DESCRIPTION: Series "SH-701" Aluminum Single Hung Window**

**APPROVAL DOCUMENT:** Drawing No.4040, titled "Aluminum Single Hung Window", sheets 1 through 5 of 5, prepared by manufacturer, dated 2/9/98 with revision on 6/3/03, signed and sealed by Robert L. Clark, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

**MISSILE IMPACT RATING: Large and Small Missile Impact**

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA # 02-0702.04 and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by Theodore Berman, P.E.

*10/16/2003*

NOA No 03-0514.01  
Expiration Date: November 01, 2006  
Approval Date: November 06, 2003  
Page 1

